

AMENDMENTS TO THE CLAIMS

Claims 1-34 (Canceled).

35. (Currently amended) A conditioning device, comprising:

roller segments for conditioning respective portions of a glazed polishing surface, said segments being rotatable at different speeds relative to said respective surface portions; and

a system for moving said rotatable roller segments relative to said glazed polishing surface and for moving said glazed polishing surface relative to said roller segments at a predetermined rate.

36. (Original) The conditioning device of claim 35, further comprising a drive system for rotating said roller segments at different speeds relative to said respective surface portions.

37. (Original) The conditioning device of claim 36, wherein said drive system includes gears located inside said roller segments and a drive shaft connecting said gears.

38. (Original) The conditioning device of claim 36, wherein said drive system has gears located outside said roller segments and at least one drive shaft extending through said roller segments, said drive shaft being connected to at least one of said gears.

39. (Original) The conditioning device of claim 36, wherein said drive system includes electrical motors located inside said roller segments.

40. (Original) The conditioning device of claim 36, wherein said roller segments are coaxially aligned.

41. (Original) The conditioning device of claim 36, wherein said moving system is arranged to move said roller segments in a transverse direction relative to a polishing pad.

42. (Original) The conditioning device of claim 36, wherein said moving system provides relative movement between said roller segments and a polishing pad.

43. (Currently amended) The conditioning device of claim 42, wherein the axes of said roller segments are arranged at an acute angle with respect to ~~the~~ a longitudinal direction of the polishing pad.

44. (Original) The conditioning device of claim 35, wherein said conditioning device is adjustable in response to measurements of surface characteristics of work pieces.

45. (Currently amended) A conditioning device, comprising:

cylindrical roller segments for conditioning respective portions of a glazed polishing surface;

means for rotating said cylindrical roller segments; and

a system for moving said cylindrical roller segments relative to said glazed polishing surface,

wherein said conditioning device is adjustable in response to measurements of surface characteristics of work pieces.

46. (Original) The conditioning device of claim 45, wherein said moving system moves said roller segments longitudinally with respect to a web-shaped polishing pad.

47. (Original) The conditioning device of claim 45, wherein said moving system moves said roller segments laterally with respect to a polishing pad.

48. (Original) The conditioning device of claim 45, wherein the exterior surfaces of said roller segments are different to provide different conditioning treatments on different portions of the polishing surface.

Claims 49-54 (Canceled).

55. (Original) A conditioning apparatus, comprising:

a conditioning device for simultaneously applying different conditioning treatments to the surface of a polishing pad; and

a rotatable support system for providing relative rotation between said conditioning device and the polishing pad.

56. (Original) The conditioning apparatus of claim 55, wherein said conditioning device includes roller segments.

57. (Original) The conditioning apparatus of claim 55, wherein said conditioning device includes at least one non-cylindrical roller.

58. (Original) The conditioning apparatus of claim 55, wherein said conditioning device applies different pressures to different portions of the pad.

59. (Original) The conditioning apparatus of claim 55, further comprising a data processor for adjusting said conditioning device.

Claims 60-65 (Canceled).